



Wir sind heller®

LED
Licht
für Profis

LED Außenstrahler CL LQP



Wasserdichter LED Strahler zur Außenbeleuchtung
Würfel mit verschiedenen Lichtabstrahlwinkeln (auch z.B. in 10x45°)

Wasserdicht bis 30m getestet
Lebensdauer: 70.000h

Technische Daten:
Nennleistung: 12W
Lumen: 1000lm
Farbtemperatur: 4700K, 6300K
Abstrahlwinkel: 10°, 30°, 40°, 10 x 45°
Dimmbar: DC 15...35V / dimmbar oder AC 12-24V / nicht dimmbar
Gewichteter Energieverbrauch: 12kWh/1000h
Schutzart: IP68
Maße: 122 x 154 x 135 mm, 3 m Anschlussleitung (oder nach Kundenwunsch)

WSH GmbH

Dörspestraße 2 | 51702 Bergneustadt | Tel.: 02261 7897880 | Fax: 02261 7897881 | E-Mail: info@Wirindheller.de | www.wirindheller.de



Wir sind heller®

LED
Licht
für Profis

LED Außenstrahler CL LQP



WSH GmbH

Dörspestraße 2 | 51702 Bergneustadt | Tel.: 02261 7897880 | Fax: 02261 7897881 | E-Mail: info@Wirsindheller.de | www.wirsindheller.de




Wir sind heller®

LED
Licht
für Profis

LED Außenstrahler CL LQP

Electrical connection



Other cable lengths on request

Power supply:

DC 15V...35V

AC 12V...24V

Current consumption:


500mA @24VDC

NOTE:

For overvoltage protection 39V use fused power line.

PWM dimming control

NOTE: For AC powered version the dimming control not supported



Barndoor accessories
ordered separately

